Propel Accelerator for Macintosh Image Captures

Propel Accelerator automatically launches each time the Mac is powered up. The

user should see the Propel Icon, ** , in their Menu Bar. The drop down menu is actuated by clicking on the icon in the Menu Bar. This icon also conveys the status of Propel Accelerator and provides further descriptive text in the top of the menu. When accelerating, this Menu Bar icon spins to provide a visual clue that it is working.



The Propel Accelerator preferences pane includes 2 dialogs: one for setup and one for acceleration.

000	Accelerator	0
Show All Displays Sound	Network Startup Disk	
	Acceleration Setup	
	Propel Accelerator	
	Version 4.3.4.5026	
	Set E mail Address and Passward	
	Set E-mail Audress and Fassword	
Cache Size:		
20 ME	50 MB 100 MB 200 MB 500 MB 1 GB 2 GB	
Empty Cache	Accelerator stores temporary files (a cache) on your computer's hard disk to supplement temporary files stored by your web browser. You can limit the amount of space that will	
	be used for Accelerator temporary files.	



The login dialog is where the user enters their credentials for authenticating with the acceleration service.

Propel Accelerator Login	
Please enter your User Name and Password for Propel Accelerator.	
User Name:]
Password:	
Add Password to Keychain	
Cancel OK	(

The user adjusts their level of acceleration by selecting the appropriate level on either the Menu or on the preferences pane. In-page ad blocking is also

controlled from either location.

Propel Accelerator for Macintosh does not include a pop-up blocker, that is provided as part of the Safari browser.

Accelerator: Enable	d
Acceleration: 2.0x	
Web Acceleration	
Maximum	
Very High	
High	
✓ Medium	
Low	
Off	
✓ Block In-Page Ads	
Links	•
Accelerator Prefere	nces